

Blazy Bunny - 2ml cart - Purple Punch - Indica

Sample ID: 2509AFL1673.6564
Strain: Purple Punch
Matrix: Concentrates & Extracts
Type: Distillate
Unit Weight: 2 g

Internal Lab ID: ATL-32218
Received: 09/24/2025
Completed: 09/30/2025
Batch#: 253801020783

Client
PFP
Lic. # 426021
1309 NW 65th Place, Fort Lauderdale, FL,
33009, USA



Summary

| Test | Date Tested | Result |
|--------------|-------------|----------|
| Batch | 09/30/2025 | Complete |
| Cannabinoids | 09/30/2025 | Complete |

Expanded Potency

Complete

| | | |
|----------------------------|-----------------------------|--------------------------------------|
| 0.158% Total THC | 10.321% Total CBD | 85.158% Total Cannabinoids |
|----------------------------|-----------------------------|--------------------------------------|

| Analyte | LOD | LOQ | Result | Result | Analyte | LOD | LOQ | Result | Result |
|------------------|-------|-------|--------|---------|-------------------|-------|-------|---------------|----------------|
| | % | % | % | mg/unit | | % | % | % | mg/unit |
| CBDV | 0.014 | 0.043 | ND | ND | 9R-HHC | 0.019 | 0.056 | 27.249 | 544.97 |
| CBDa | 0.014 | 0.042 | ND | ND | Δ9-THCH | 0.015 | 0.045 | ND | ND |
| CBGa | 0.014 | 0.042 | ND | ND | Δ8-THCH | 0.015 | 0.046 | ND | ND |
| CBG | 0.014 | 0.043 | ND | ND | Δ9-THCP | 0.014 | 0.042 | 0.907 | 18.14 |
| CBD | 0.014 | 0.043 | 10.321 | 206.43 | Δ8-THCP | 0.015 | 0.045 | ND | ND |
| THCV | 0.014 | 0.043 | ND | ND | Δ8-THCO | 0.014 | 0.041 | ND | ND |
| Δ8-THCV | 0.016 | 0.047 | ND | ND | Δ9-THCO | 0.014 | 0.041 | ND | ND |
| THCVa | 0.014 | 0.042 | ND | ND | 9(S)-HHCP | 0.015 | 0.046 | ND | ND |
| CBN | 0.014 | 0.043 | 3.117 | 62.35 | 9(R)-HHCP | 0.015 | 0.046 | ND | ND |
| Δ9-THC | 0.014 | 0.043 | 0.158 | 3.16 | 11-Hydroxy-THC | 0.015 | 0.046 | ND | ND |
| Δ8-THC | 0.014 | 0.043 | 30.612 | 612.24 | 1(S)-H4-CBD | 0.016 | 0.047 | 0.827 | 16.53 |
| (6aR,9S)-d10-THC | 0.016 | 0.047 | ND | ND | 1(R)-H4-CBD | 0.016 | 0.047 | 1.286 | 25.71 |
| (6aR,9R)-d10-THC | 0.016 | 0.047 | ND | ND | Δ9-THCB | 0.015 | 0.044 | ND | ND |
| CBC | 0.014 | 0.043 | ND | ND | Δ8-THCB | 0.015 | 0.046 | ND | ND |
| CBCa | 0.014 | 0.042 | ND | ND | CBDp | 0.016 | 0.048 | ND | ND |
| THCa | 0.014 | 0.042 | ND | ND | D8-iso-THC | 0.015 | 0.046 | ND | ND |
| 9S-HHC | 0.019 | 0.057 | 10.351 | 207.01 | Delta4(8)-iso-THC | 0.015 | 0.046 | 0.330 | 6.61 |
| | | | | | Total | | | 85.158 | 1703.16 |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 09/30/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)
ISO/IEC 17025:2017 Accreditation No. 118038

| | | |
|-------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|
| NT Not Tested Document ID: Moisture Content | NT Not Tested Document ID: Water Activity | Not Tested Document ID: Foreign Matter |
|-------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|



Paulo Gonzalez
Laboratory Director
09/30/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.